


LEVALIGN[®] expert


Flatness and level with a spin



LEVALIGN® expert



The measuring system consists of LEVALIGN® expert laser and sensor wireless communicating with the ROTALIGN® Ultra computer, and optional powerful ALIGNMENT CENTER PC software for measurement analysis.



3-D view of the ROTALIGN® Ultra computer allowing better comprehension and evaluation of the results

Standard features

- ▶ One person operation
- ▶ Automatic vertical and horizontal laser leveling
- ▶ Leveling, flatness, straightness, parallelism and perpendicularity
- ▶ Laser range dia. 200 m, sensor measurement range 70 mm
- ▶ Integrated wireless communication
- ▶ Evaluation of flatness and level of surface profiles in 3-D on ROTALIGN® Ultra
- ▶ High-end PC software for data analysis, professional reporting and data management

Leveling and flatness with a spinning laser

Geometric measurements made simple.

The horizontal and vertical self-leveling spinning laser with 100 m measurement range in conjunction with a 70 mm range sensor ensures quick one-man operation for wide-ranging measurement tasks.

Wireless communication between sensor and ROTALIGN® Ultra computer transfers measurement data for analysis and evaluation of surface profile.

LEVALIGN® expert is a very attractive package for OEMs and companies who offer full maintenance services for improvement of machine running condition and productivity.

LEVALIGN® expert laser – technical data

Laser range	100 m (Ø 200 m)
Self leveling	Vertical or horizontal (detachable)
Self leveling range	±5%
Direction adjustment	±5%
Speed	Up to 800 RPM
Overall error (incl. conical + leveling + step)	< ±25µm + ±24µm/m
Power	Internal rechargeable battery or external power supply
Operating time	Up to 16 hours
Dimensions	Ø 130 mm x 270 mm
Weight	3.4 kg

LEVALIGN® expert sensor – technical data

Resolution	0.01 mm
Accuracy	±0.02 mm
Measurement range	70 mm
Zero point adjustment	70 mm
Internal memory	2600 points
Wireless communication	RF-module
Power	2 x AA batteries
Dimensions	214 x 70 x 40 mm
Weight	0.62 kg

For advanced industrial applications

- ▶ Flatness and parallelism of wind tower segment flanges
- ▶ Leveling of machine foundations
- ▶ Parallelism of rails
- ▶ Flatness and straightness measurement in ship building
- ▶ Leveling of reference surfaces and bases
- ▶ Circular and rectangular surface profiles

ROTAGIGN® and LEVALIGN® are registered trademarks of PRÜFTECHNIK Dieter Busch AG. No copying or reproduction of this information, in any form whatsoever, may be undertaken without express written permission of PRÜFTECHNIK Alignment Systems GmbH. The information contained in this leaflet is subject to change without further notice due to the PRÜFTECHNIK policy of continuous product development. PRÜFTECHNIK products are subject to patents granted or pending throughout the world. ISO 9001:2008 certified.

© Copyright 2013 by PRÜFTECHNIKAG.



PRÜFTECHNIK
Alignment Systems GmbH
Freisinger Str. 34
85737 Ismaning, Germany
Tel.: +49 89 99616-0
Fax: +49 89 99616-100
info@pruftechnik.com
www.pruftechnik.com

A member of the PRÜFTECHNIK group